

Bibliography

- A. M. Abdulkader. *Parallel Algorithms for Labelled Graph Matching*. PhD thesis, Colorado School of Mines, 1998.
- H. Akaike. New look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19(6):716–723, 1974.
- G. R. Andrews. *Concurrent Programming. Principles and Practice*. The Benjamin-Cummings Publishing Company, 1991.
- R. Bacik. *Structure of Graph Homomorphism*. PhD thesis, Simon Fraser University, Canada, 2001.
- T. Bäck. *Evolutionary Algorithms in Theory and Practice*. Oxford University Press, 1996.
- J. Baget and M. Mugnier. Extension of simple conceptual graphs: the complexity of rules and constraints. *Journal of Artificial Intelligence Research*, 16:425–465, 2002.
- M. Bakircioglu, U. Grenander, N. Khaneja, and M. Miller. Curve matching on brain surfaces using Frenet distances. *Human Brain Mapping*, 6(5-6):329–333, 1998.
- S. Baluja. Population-based incremental learning: A method for integrating genetic search based function optimization and competitive learning. Technical report, Carnegie Mellon Report, CMU-CS-94-163, 1994.
- S. Baluja and S. Davies. Using optimal dependency-trees for combinatorial optimization: Learning the structure of the search space. Technical report, Carnegie Mellon Report, CMU-CS-97-107, 1997.
- W. Banzhaf. The molecular traveling salesman. *Biological Cybernetics*, 64:7–14, 1990.
- D. A. Basin. A term equality problem equivalent to graph isomorphism. *Information Processing Letters*, 54:61–66, 1994.
- E. Bengoetxea, P. Larrañaga, I. Bloch, and A. Perchant. Estimation of distribution algorithms: A new evolutionary computation approach for graph matching problems. In M. Figueiredo, J. Zerubia, and A. K. Jain, editors, *Lecture Notes in Computer Science 2134*, pages 454–468, Sophia Antipolis, France, 2001a. Third International Workshop on Energy Minimization Methods in Computer Vision and Pattern Recognition (EMMCVPR-2001).
- E. Bengoetxea, P. Larrañaga, I. Bloch, and A. Perchant. Image recognition with graph matching using estimation of distribution algorithms. In *Proceedings of the Medical Image*

- Understanding and Analysis – MIUA 2001*, pages 89–92, Birmingham, United Kingdom, 2001b.
- E. Bengoetxea, P. Larrañaga, I. Bloch, and A. Perchant. Solving graph matching with EDAs using a permutation-based representation. In P. Larrañaga and J. A. Lozano, editors, *Estimation of Distribution Algorithms. A New Tool for Evolutionary Computation*, pages 243–265. Kluwer Academic Publishers, 2001c.
- E. Bengoetxea, P. Larrañaga, I. Bloch, A. Perchant, and C. Boeres. Inexact graph matching using learning and simulation of Bayesian networks. An empirical comparison between different approaches with synthetic data. In *Proceedings of CaNew workshop, ECAI 2000 Conference, ECCAI*, Berlin, 2000.
- E. Bengoetxea, P. Larrañaga, I. Bloch, A. Perchant, and C. Boeres. Inexact graph matching using learning and simulation of probabilistic graphical models. Technical Report 2001D017, Ecole Nationale Supérieure des Télécommunications, 2001d.
- E. Bengoetxea, P. Larrañaga, I. Bloch, A. Perchant, and C. Boeres. Learning and simulation of Bayesian networks applied to inexact graph matching. *Pattern Recognition*, 35(12):2867–2880, Dec 2002a.
- E. Bengoetxea, J. Miguel, P. Larrañaga, and I. Bloch. Model-based recognition of brain structures in 3D magnetic resonance images using graph matching and parallel estimation of distribution algorithms. *International Journal of Cybernetics and Systems*, 2002b. Submitted.
- E. Bengoetxea, T. Miquélez, P. Larrañaga, and J. A. Lozano. Experimental results in function optimization with EDAs in continuous domain. In P. Larrañaga and J. A. Lozano, editors, *Estimation of Distribution Algorithms. A New Tool for Evolutionary Computation*, pages 181–194. Kluwer Academic Publishers, 2001e.
- Beowulf. Beowulf parallel workstation project. URL: <http://www.beowulf.org>. Scyld Computing Corporation, 1994.
- S. Berretti, A. del Bimbo, and E. Vicario. Efficient matching and indexing of graph models in content-based retrieval. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(10):1089–1105, Oct 2001.
- P. Bhat, V. Prasanna, and C. Raghavendra. Adaptive communication algorithms for distributed heterogeneous systems. *Journal of Parallel and Distributed Computing*, 59(2):252–279, Nov 1999.
- E. Bienenstock and C. von der Malsburg. A neural network for invariant pattern recognition. *Europhysics Letters*, 4(1):121–126, 1987.
- R. E. Blake. Partitioning graph matching with constraints. *Pattern Recognition*, 27(3):439–446, 1994.
- I. Bloch. Fuzzy relative position between objects in image processing: a morphological approach. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 21(7):657–664, 1999a.

- I. Bloch. On fuzzy distances and their use in image processing under imprecision. *Pattern Recognition*, 32:1873–1895, 1999b.
- C. Boeres. *Heurísticas para Reconhecimento de Cenas por Correspondência de Grafos*. PhD thesis, Universidade Federal do Rio de Janeiro, Brazil, Sep 2002.
- C. Boeres, A. Perchant, I. Bloch, and M. Roux. A genetic algorithm for brain image recognition using graph non-bijective correspondence. Ecole Nationale Supérieure des Télécommunications, Unpublished manuscript, 1999.
- R. R. Bouckaert. A stratified simulation scheme for inference in Bayesian belief networks. In *Proceedings of the Tenth Annual Conference on Uncertainty in Artificial Intelligence (UAI-94)*, pages 110–117. Seattle, WA, 1994.
- R. R. Bouckaert, E. Castillo, and J. M. Gutiérrez. A modified simulation scheme for inference in Bayesian networks. *International Journal of Approximate Reasoning*, 14:55–80, 1996.
- G. E. P. Box and M. E. Muller. A note on the generation of random normal deviates. *Ann. Math. Statist.*, 29:610–611, 1958.
- A. Branca, E. Stella, and A. Distante. Qualitative scene interpretation using planar surfaces. *Autonomous Robots*, 8(2):129–139, Apr 2000.
- R. P. Brent. A Gaussian pseudo random generator. *Comm. Assoc. Comput. Mach.*, 17: 704–706, 1974.
- H. Bunke. On a relation between graph edit distance and maximum common subgraph. *Pattern Recognition Letters*, 18(8):689–694, Aug 1997.
- H. Bunke. *Error-tolerant Graph Matching: a Formal Framework and Algorithms*, volume 1451 of *Lecture Notes in Computer Science*. Springer, Berlin, 1998.
- H. Bunke. Error correcting graph matching: on the influence of the underlying cost function. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 21(9):917–922, 1999.
- H. Bunke. Recent advances in structural pattern recognition with applications to visual form analysis. In C. Arcelli, L.P. Cordella, and G. Sanniti de Baja, editors, *Visual Form 2001. Proceedings of the Fourth International Workshop on Visual Form IWVF4. Lecture Notes in Computer Science 2059*, pages 11–23, Springer-Verlag, Berlin, Germany, 2001.
- H. Bunke and S. Gunter. Weighted mean of a pair of graphs. *Computing*, 67(3):209–224, 2001.
- H. Bunke and K. Shearer. A graph distance metric based on the maximal common subgraph. *Pattern Recognition Letters*, 19(3–4):255–259, Mar 1998.
- W. Buntine. Theory refinement in Bayesian networks. In *Proceedings of the Seventh Conference on Uncertainty in Artificial Intelligence*, pages 52–60, 1991.
- W. Buntine. A guide to the literature on learning probabilistic networks from data. *IEEE Transactions on Knowledge and Data Engineering*, 8(2):195–210, 1996.

- M. Carcassoni and E. R. Hancock. Weighted graph-matching using modal clusters. In W. Skarbek, editor, *Computer Analysis of Images and Patterns. Proceedings of the 9th International Conference, CAIP 2001. Lecture Notes in Computer Science 2124*, pages 142–151, Warsaw, Poland, 2001.
- R. Cesar, E. Bengoetxea, and I. Bloch. Inexact graph matching using stochastic optimization techniques for facial feature recognition. In *International Conference on Pattern Recognition 2002, ICPR 2002*, Québec, Aug 2002a.
- R. Cesar, E. Bengoetxea, I. Bloch, and P. Larrañaga. Inexact graph matching for facial feature segmentation and recognition. *International Journal of Imaging Systems and Technology*, submitted, 2002b.
- R. Cesar and I. Bloch. First Results on Facial Feature Segmentation and Recognition using Graph Homomorphisms. In *VI Simpósio Ibero-Americano de Reconhecimento de Padrões SIARP 2001*, pages 95–99, Florianópolis, Brazil, Oct 2001.
- R. M. Chavez and G.F. Cooper. A randomized approximation algorithm for probabilistic inference on Bayesian belief networks. *Networks*, 20(5):661–685, 1990.
- H. Chen. Extracting knowledge from concept-based searching systems using conceptual graphs. Master’s thesis, University of Guelph, Canada, 1996.
- Y. Cheng, X. Wang, R. Collins, E. Riseman, and A. Hanson. Three-dimensional reconstruction of points and lines with unknown correspondence across images. *International Journal of Computer Vision*, 45(2):129–156, Nov 2001.
- D. M. Chickering, D. Geiger, and D. Heckerman. Learning Bayesian networks is NP-hard. Technical report, Microsoft Research, Redmond, Washington, 1994.
- D. M. Chickering, D. Geiger, and D. Heckerman. Learning Bayesian networks: Search methods and experimental results. In *Preliminary Papers of the Fifth International Workshop on Artificial Intelligence and Statistics*, pages 112–128, 1995.
- W. J. Christmas, J. Kittler, and M. Petrou. Structural matching in computer vision using probabilistic relaxation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17(8):749–64, 1995.
- G. F. Cooper and E. A. Herskovits. A Bayesian method for the induction of probabilistic networks from data. *Machine Learning*, 9:309–347, 1992.
- L. F. Costa and R. Cesar. *Shape Analysis and Classification: Theory and Practice*. CRC Press, 2001.
- C. Cotta, E. Alba, R. Sagarna, and P. Larrañaga. Adjusting weights in artificial neural networks using evolutionary algorithms. In P. Larrañaga and J. A. Lozano, editors, *Estimation of Distribution Algorithms. A New Tool for Evolutionary Computation*, pages 361–377. Kluwer Academic Publishers, 2001.
- A. D. J. Cross and E. R. Hancock. Graph matching with a dual-step EM algorithm. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(11):1236–53, 1998.

- A. D. J. Cross, R. Myers, and E. R. Hancock. Convergence of a hill-climbing genetic algorithm for graph matching. *Pattern Recognition*, 33(11):1863–1880, Nov 2000.
- A. D. J. Cross, R. C. Wilson, and E. R. Hancock. Inexact graph matching using genetic search. *Pattern Recognition*, 30(6):953–970, 1997.
- P. Dagum and E. Horvitz. A Bayesian analysis of simulation algorithms for inference in belief networks. *Networks*, 23(5):499–516, 1993.
- A. P. Dawid. Conditional independence in statistical theory. *Journal of the Royal Statistics Society, Series B*, 41:1–31, 1979.
- J. S. de Bonet, C. L. Isbell, and P. Viola. MIMIC: Finding optima by estimating probability densities. In *Advances in Neural Information Processing Systems*, volume 9. M. Mozer, M. Jordan and Th. Petsche eds., 1997.
- L. M. de Campos. Automatic learning of graphical models. I: Basic methods. In *Probabilistic Expert System*, pages 113–140. Ediciones de la Universidad de Castilla-La Mancha, In spanish, 1998.
- M. de Groot. *Optimal Statistical Decisions*. McGraw–Hill, New York, 1970.
- A. P. Dempster. Covariance selection. *Biometrika*, 32:95–108, 1972.
- A. P. Dempster, N. M. Laird, and D. B. Rubin. Maximum likelihood from incomplete data via the EM algorithm. *Journal of Royal Statistical Society*, 39(1):1–38, 1977.
- C. di Ruberto and A. Dempster. Attributed skeleton graphs using mathematical morphology. *Electronics Letters*, 37(22):1325–1327, Oct 2001.
- E. Dijkstra. *Cooperating Sequential Processes*. Technological University, Eindhoven, The Netherlands, 1965. Reprinted in Great Papers in Computer Science, P. Laplante (eds.), IEEE Press, 1996.
- M. Doob, D. Cvetković, and H. Sachs. *Spectra of Graphs: Theory and Application*. Academic Press, 1980.
- C. Dorai. *Cosmos: a Framework for Representation and Recognition of 3D Free-form Objects*. PhD thesis, Michigan State University, 1996.
- B. Duc, E. Bigun, J. Bigun, G. Maitre, and S. Fischer. Fusion of audio and video information for multi modal person authentication. *Pattern Recognition Letters*, 18(9):835–843, Sep 1997.
- B. Duc, S. Fischer, and J. Bigun. Face authentication with Gabor information on deformable graphs. *IEEE Transactions on Image Processing*, 8(4):504–516, Apr 1999.
- L. Emami. Conceptual browser: A concept-based knowledge extraction technique. Master’s thesis, University of Guelph, Canada, 1997.
- L. Eroh and M. Schultz. Matching graphs. *Journal of Graph Theory*, 29(2):73–86, Oct 1998.

- M. A. Eshera and K.-S. Fu. An image understanding system using attributed symbolic representation and inexact graph matching. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(5):604–618, 1986.
- R. Etxeberria and P. Larrañaga. Global optimization with Bayesian networks. In *Special Session on Distributions and Evolutionary Optimization*, pages 332–339. II Symposium on Artificial Intelligence, CIMA99, 1999.
- R. Etxeberria, P. Larrañaga, and J. M. Picaza. Analysis of the behaviour of genetic algorithms when searching Bayesian networks from data. *Pattern Recognition Letters*, 18(11–13):1269–1273, 1997a.
- R. Etxeberria, P. Larrañaga, and J. M. Picaza. Reducing Bayesian networks complexity while learning from data. In *Proceedings of Causal Models and Statistical Learning*, pages 151–168. UNICOM, London, 1997b.
- K. Fan, C. Liu, and Y. Wang. A randomized approach with geometric constraints to finger-print verification. *Pattern Recognition*, 33(11):1793–1803, 2000.
- K. Fan, J. Lu, and G. Chen. A feature point clustering approach to the recognition of form documents. *Pattern Recognition*, 31(9):1205–1220, Sep 1998.
- P. Fariselli and R. Casadio. Prediction of disulfide connectivity in proteins. *Bioinformatics*, 17(10):957–964, Oct 2001.
- S.-J. Farmer. Probabilistic graph matching. Unpublished manuscript. University of York (U.K.), 1999.
- T. Feder and M.Y. Vardi. The computational structure of monotone monadic snp and constraint satisfaction: a study through datalog and group theory. *SIAM Journal on Computing*, 28(1):57–104, 1999.
- R. S. Feris and R. Cesar. Detection and tracking of facial landmarks using Gabor wavelet networks. In S. Singh, N. Murshed, and W. Kropatsch, editors, *ICAPR'2001 - International Conference on Advances in Pattern Recognition. Lecture Notes in Computer Science 2013*, pages 311–320, Rio de Janeiro, Brasil, Mar 2001. Springer-Verlag Press.
- M. Fernandez and G. Valiente. A graph distance metric combining maximum common subgraph and minimum common supergraph. *Pattern Recognition Letters*, 22(6-7):753–758, May 2001.
- F. Fiala. Vehicle routing problems. *GMD-Mitteilungen*, 46, 1978.
- A. W. Finch, R. C. Wilson, and E. R. Hancock. Matching Delaunay graphs. *Pattern Recognition*, 30(1):123–140, 1997.
- A. W. Finch, R. C. Wilson, and E. R. Hancock. An energy function and continuos edit process for graph matching. *Neural Computation*, 10(7):1873–94, Oct 1998a.
- A. W. Finch, R. C. Wilson, and E. R. Hancock. Symbolic graph matching with the EM algorithm. *Pattern Recognition*, 31(11):1777–1790, 1998b.
- M. M. Flood. The traveling salesman problem. *Operations Research*, 4:61–75, 1956.

- M. J. Flynn. Some computer organizations and their effectiveness. *IEEE Trans. Computers*, C-21:948–960, 1972.
- L. J. Fogel. Autonomous automata. *Ind. Res.*, 4:14–19, 1962.
- P. Foggia, C. Sansone, F. Tortorella, and M. Vento. Definition and validation of a distance measure between structural primitives. *Pattern Analysis and Applications*, 2(3):215–227, 1999.
- E. Forgy. Cluster analysis of multivariate data: Efficiency vs. interpretability of classification. *Biometrics*, 21:768–769, 1965.
- I. Foster. *Designing and Building Parallel Programs*. Addison-Wesley Publishing Company, 1995.
- B. N. Freeman-Benson, J. Maloney, and A. Borning. An incremental constraint solver. *Communications of the ACM*, 33(1):54–63, 1990.
- B. Freisleben and P. Merz. A genetic local search algorithm for solving symmetric and asymmetric traveling salesman problems. In *International Conference on Evolutionary Computation*, pages 616–621, 1996.
- A. A. Freitas and S. H. Lavington. *Mining Very Large Databases with Parallel Processing*. Kluwer Academic Publishers, London, 1999.
- F. Fuchs and H. Le Men. Efficient subgraph isomorphism with ‘a priori’ knowledge. application to 3D reconstruction of buildings for cartography. In F.J. Ferri, J.M. Inesta, A. Amin, and P. Pudil, editors, *Advances in Pattern Recognition. Proceedings of Joint IAPR International Workshops SSPR and SPR 2000. Lecture Notes in Computer Science 1876*, pages 427–436, 2000.
- R. M. Fung and K. C. Chang. Weighting and integrating evidence for stochastic simulation in Bayesian networks. In M. Henrion, R. D. Shachter, L. N. Kanal, and J. F. Lemmer, editors, *Uncertainty in Artificial Intelligence*, volume 5, pages 209–220, Amsterdam, 1990. Elsevier.
- R. M. Fung and B. del Favero. Backward simulation in Bayesian networks. In *Proceedings of the Tenth Conference on Uncertainty in Artificial Intelligence*, pages 227–234. Morgan Kaufmann Publishers, San Francisco, 1994.
- M. Gangnet and B. M. Rosenberg. Constraint programming and graph algorithms. *Ann. Math. Artificial Intelligence*, 8(3–4):271–284, 1993.
- S. Gao and J. Shah. Automatic recognition of interacting machining features based on minimal condition subgraph. *Computer Aided Design*, 30(9):727–739, Aug 1998.
- M. R. Garey and D. S. Johnson. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W. H. Freeman, New-York, 1979.
- D. Geiger and D. Heckerman. Learning Gaussian networks. Technical report, Microsoft Advanced Technology Division, Microsoft Corporation, Seattle, Washington, 1994.

BIBLIOGRAPHY

- J. Geusebroek, A. Smeulders, F. Cornelissen, and H. Geerts. Segmentation of tissue architecture by distance graph matching. *Cytometry*, 35(1):11–22, Jan 1999.
- S. Gold and A. Rangarajan. A graduated assignment algorithm for graph matching. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(4):377–88, 1996.
- S. Gold, A. Rangarajan, and E. Mjolsness. Learning with preknowledge: Clustering with point and graph matching distance measures. *Unsupervised Learning Foundations of Neural Computation*, 1(1):355–372, 1999. Ref: 41.
- D. E. Goldberg. *Genetic Algorithms in Search, Optimization, and Machine Learning*. Addison-Wesley, Reading, Massachusetts, USA, 1989.
- J. J. Grefenstette. Optimization of control parameters for genetic algorithms. *IEEE Transactions on Systems, Man, and Cybernetics*, 16(1):122–128, 1986.
- E. R. Hancock and J. Kittler. Edge-labeling using dictionary-based relaxation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(2):165–181, 1990.
- P. Hancock, V. Bruce, and M. Burton. A comparison of two computer-based face identification systems with human perceptions of faces. *Vision Research*, 38(15–16):2277–2288, Aug 1998.
- G. Harik. Linkage learning via probabilistic modeling in the EcGA. Technical report, University of Illinois, Urbana, Illinois, USA, 1999. IlliGAL Report No. 99010.
- G. Harik, F. G. Lobo, and D. E. Goldberg. The compact genetic algorithm. In *Proceedings of the IEEE Conference on Evolutionary Computation*, pages 523–528, 1998.
- K. Haris, S. Efstratiadis, N. Maglaveras, C. Pappas, J. Gourassas, and G. Louridas. Model-based morphological segmentation and labeling of coronary angiograms. *IEEE Transactions on Medical Imaging*, 18(10):1003–1015, Oct 1999.
- D. Heckerman. A tutorial on learning with Bayesian networks. Technical report, MSR-TR-95-06, Microsoft Advanced Technology Division, Microsoft Corporation, Seattle, Washington, 1995.
- D. Heckerman and D. Geiger. Likelihoods and parameter priors for Bayesian networks. Technical report, MSR-TR-95-54, 1995.
- D. Heckerman, D. Geiger, and D. M. Chickering. Learning Bayesian networks: The combination of knowledge and statistical data. *Machine Learning*, 20:197–243, 1995.
- D. Heckerman and M. P. Wellman. Bayesian networks. *Communications of the ACM*, 38: 27–30, 1995.
- M. Henrion. Propagating uncertainty in Bayesian networks by probabilistic logic sampling. *Uncertainty in Artificial Intelligence*, 2:149–163, 1988. J. F. Lemmer and L. N. Kanal eds., North-Holland, Amsterdam.
- R. Herpers and G. Sommer. Discrimination of facial regions based on dynamic grids of point representations. *International Journal of Pattern Recognition and Artificial Intelligence*, 12(4):381–405, Jun 1998.

- J. H. Holland. *Adaptation in Natural and Artificial Systems*. The University of Michigan Press, Michigan, 1975.
- J. E. Hopcroft and J. K. Wong. Linear time algorithm for isomorphism of planar graphs. In *Sixth ACM Symposium on Theory of Computing*, 1974.
- R. Howard and J. Matheson. Influence diagrams. In R. Howard and J. Matheson, editors, *Readings on the Principles and Applications of Decision Analysis*, volume 2, pages 721–764. Strategic Decision Group, Menlo Park, California, 1981.
- T. Hryceij. Gibbs sampling in Bayesian networks. *Artificial Intelligence*, 46(3):351–363, 1990.
- C. Huang and W. Huang. Sign language recognition using model-based tracking and a 3D Hopfield neural network. *Machine Vision and Applications*, 10(5–6):292–307, Apr 1998.
- B. Huet and E. R. Hancock. Shape recognition from large image libraries by inexact graph matching. *Pattern Recognition Letters*, 20(11–13):1259–1269, Nov 1999.
- J. Sung Hwan. Content-based image retrieval using fuzzy multiple attribute relational graph. *IEEE International Symposium on Industrial Electronics Proceedings (ISIE 2001)*, 3:1508–1513, 2001.
- P. Ifrah. Tree search and singular value decomposition: a comparison of two strategies for point-pattern matching. Master’s thesis, McGill University, Canada, 1997.
- H. Ing-Sheen and F. Kuo-Chin. Color image retrieval using geometric properties. *Journal of Information Science and Engineering*, 17(5):729–751, Sep 2001.
- I. Inza, P. Larrañaga, R. Etxeberria, and B. Sierra. Feature subset selection by Bayesian networks based optimization. *Artificial Intelligence*, 123(1-2):157–184, 2000.
- I. Inza, M. Merino, P. Larrañaga, J. Quiroga, B. Sierra, and M. Girala. Feature subset selection by genetic algorithms and estimation of distribution algorithms. A case study in the survival of cirrhotic patients treated with TIPS. *Artificial Intelligence in Medicine*, 23(2):187–205, 2001.
- C. S. Jensen, A. Kong, and U. Kjærulff. Blocking Gibbs sampling in very large probabilistic expert systems. Technical report, R 13-2031, Department of Mathematics and Computer Science, University of Aalborg, Denmark, 1993.
- X. Jiang, A. Munger, and H. Bunke. On median graphs: Properties, algorithms, and applications. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(10):1144–1151, Oct 2001.
- J.-M. Jolian. Stochastic pyramid revisited. *Pattern Recognition Letters*, 24(8):1035–1042, 2003.
- J.-M. Jolian and W. G. Kropatsch. Graph based representations. In *First IAPR Int. Workshop on Graph Based Representations*, Vienna, 1998. Springer-Verlag. Computing Suppl. 12.

BIBLIOGRAPHY

- J.-M. Jolian, W. G. Kropatsch, and M. Vento. Graph based representations. In *Third IAPR Int. Workshop on Graph Based Representations*, Italy, 2001. ISBN: 88-7146-579-2.
- M. Karpinski and W. Rytter. *Fast Parallel Algorithms for Graph Matching Problems: Combinatorial, Algebraic and Probabilistic Approach*. The Clarendon Press, Oxford University Press, New York, 1998.
- K. Khoo and P. Suganthan. Evaluation of genetic operators and solution representations for shape recognition by genetic algorithms. *Pattern Recognition Letters*, 23(13):1589–1597, Nov 2002.
- H. Kim and J. Kim. Hierarchical random graph representation of handwritten characters and its application to hangul recognition. *Pattern Recognition*, 34(2):187–201, Feb 2001.
- J. Kittler, W. J. Christmas, and M. Petrou. Probabilistic relaxation for matching problems in computer vision. *IEEE Proceedings of the International Conference on Computer Vision (ICCV93)*, pages 666–673, 1993.
- C. Kotropoulos, A. Tefas, and I. Pitas. Frontal face authentication using morphological elastic graph matching. *IEEE Transactions on Image Processing*, 9(4):555–560, Apr 2000a.
- C. Kotropoulos, A. Tefas, and I. Pitas. Morphological elastic graph matching applied to frontal face authentication under well-controlled and real conditions. *Pattern Recognition*, 33(12):1935–1947, Dec 2000b.
- J. R. Koza. *Genetic Programming: On the Programming of Computers by Means of Natural Selection*. MIT Press, 1992.
- P. J. Krause. Learning probabilistic networks. Technical report, Philips Research Laboratories, 1998.
- W. G. Kropatsch and J.-M. Jolian. Graph based representations. In *Second IAPR Int. Workshop on Graph Based Representations*, 1999. Österreichchische Computer Gesellschaft. ISBN: 3-85403-126-2.
- V. Kruger and G. Sommer. Affine real-time face tracking using a wavelet network. In *ICCV99 Workshop Recognition, Analysis, and Tracking of Faces and Gestures in Real-Time Systems*, pages 141–148, Corfu, Greece, 1999.
- W. H. Kruskal and W. A. Wallis. Use of ranks in one-criterion variance analysis. *Journal of American Statistical Association*, 47:583–621, 1952.
- S. Kullback and R. A. Leibler. On information and sufficiency. *Annals of Mathematical Statistics*, 22:79–86, 1951.
- S. Kumar, M. Sallam, and D. Goldgof. Matching point features under small nonrigid motion. *Pattern Recognition*, 34(12):2353–2365, Dec 2001.
- L. Lai, J. Lee, and S. Yang. Fuzzy logic as a basis for reusing task-based specifications. *International Journal of Intelligent Systems*, 14(4):331–357, Apr 1999.

- P. Larrañaga, R. Etxeberria, J. A. Lozano, and J. M. Peña. Optimization in continuous domains by learning and simulation of Gaussian networks. In *Proceedings of the Workshop in Optimization by Building and using Probabilistic Models. A Workshop within the 2000 Genetic and Evolutionary Computation Conference, GECCO 2000*, pages 201–204, Las Vegas, Nevada, USA, 2000.
- P. Larrañaga, C. M. H. Kuijpers, R. H. Murga, and Y. Yurramendi. Searching for the best ordering in the structure learning of Bayesian networks. *IEEE Transactions on Systems, Man and Cybernetics*, 41(4):487–493, 1996a.
- P. Larrañaga, C. M. H. Kuijpers, M. Poza, and R. H. Murga. Decomposing Bayesian networks: triangulation of the moral graph with genetic algorithms. *Statistics and Computing*, 7:19–34, 1997.
- P. Larrañaga and J. A. Lozano. *Estimation of Distribution Algorithms. A New Tool for Evolutionary Computation*. Kluwer Academic Publishers, 2001.
- P. Larrañaga, J. A. Lozano, and E. Bengoetxea. Estimation of distribution algorithms based on multivariate normal and Gaussian networks. Technical Report KZZA-IK-1-01, Department of Computer Science and Artificial Intelligence, University of the Basque Country, 2001.
- P. Larrañaga, R. H. Murga, M. Poza, and C. M. H. Kuijpers. Structure learning of Bayesian networks by hybrid genetic algorithms. In D. Fisher and G.-J. Lenz, editors, *Learning from Data. Artificial Intelligence and Statistics V. Lecture Notes in Statistics 172*, pages 165–174. Springer-Verlag, 1996b.
- P. Larrañaga, M. Poza, Y. Yurramendi, R. H. Murga, and C. M. H. Kuijpers. Structure learning of Bayesian networks by genetic algorithms. A performance analysis of control parameters. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(9):912–926, 1996c.
- S. L. Lauritzen. *Graphical Models*. Oxford University Press, 1996.
- R. Lee and J. Liu. An automatic satellite interpretation of tropical cyclone patterns using elastic graph dynamic link model. *International Journal of Pattern Recognition and Artificial Intelligence*, 13(8):1251–1270, Dec 1999.
- R. Lee and J. Liu. Tropical cyclone identification and tracking system using integrated neural oscillatory elastic graph matching and hybrid RBF network track mining techniques. *IEEE Transactions on Neural Networks*, 11(3):680–689, May 2000.
- J. Liu. *Online Chinese Character Recognition*. PhD thesis, Chinese University of Hong Kong, 1997a.
- J. Liu, K. Ma, W. Cham, and M. Chang. Two-layer assignment method for online chinese character recognition. *IEEE Proceedings on Vision Image and Signal Processing*, 147(1):47–54, Feb 2000.
- T. Liu. *A Coordinated Constraint-based Modeling and Design Advisory System for Mechanical Components and Assemblies*. PhD thesis, University of Massachusetts, 1997b.

- J. Llados, E. Martí, and J. Villanueva. Symbol recognition by error-tolerant subgraph matching between region adjacency graphs. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(10):1137–1143, Oct 2001.
- J. A. Lozano, R. Sagarna, and P. Larrañaga. Parallel estimation of distribution algorithms. In P. Larrañaga and J. A. Lozano, editors, *Estimation of Distribution Algorithms. A New Tool for Evolutionary Computation*, pages 129–145. Kluwer Academic Publishers, 2001.
- B. Luo and E. R. Hancock. A robust eigendecomposition framework for inexact graph matching. In E. Ardizzone and V. di Gesu, editors, *Proceedings 11th International Conference on Image Analysis and Processing*, pages 465–470, 2001a.
- B. Luo and E. R. Hancock. Structural graph matching using the EM algorithm and singular value decomposition. *IEEE Transactions on Pattern and Machine Intelligence*, 23(10):1120–1136, Oct 2001b.
- M. Lyons, J. Budynek, and S. Akamatsu. Automatic classification of single facial images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 21(12):1357–1362, Dec 1999.
- L. Yang Lyul and P. Rae Hong. A surface-based approach to 3D object recognition using a mean field annealing neural network. *Pattern Recognition*, 35(2):299–316, Feb 2002.
- K. Ma and T. Xiaoou. Discrete wavelet face graph matching. In *Proceedings of the International Conference on Image Processing*, volume 2, pages 217–220, Piscataway, New Jersey, USA, 2001. IEEE Signal Process. Soc.
- H. B. Mann and D. R. Whitney. On a test of whether one of two random variables is stochastically larger than the other. *Annals of Mathematical Statistics*, 18:50–60, 1947.
- R. Mariani. Face learning using a sequence of images. *International Journal of Pattern Recognition and Artificial Intelligence*, 14(5):631–648, Aug 2000.
- G. Marsaglia, K. Ananthanarayanan, and N. J. Paul. Improvements on fast methods for generating normal random variables. *Information Processing Letters*, 5:27–30, 1976.
- A. Massaro and M. Pelillo. A linear complementarity approach to graph matching. In *Proc. of GbR'01, 3rd IAPR TC15 Int. Workshop on Graph based Representations*, pages 160–169, 2001. ISBN: 88 7146 579-2.
- J. B. McQueen. Some methods for classification and analysis of multivariate observations. In *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*, volume 1, pages 281–297. University of California Press, 1967.
- A. Mendiburu, E. Bengoetxea, and J. Miguel. Paralelización de algoritmos de estimación de distribuciones. In *XIII Jornadas de Paralelismo*, pages 37–41. In Spanish, ISBN: 64-8409-159-7, 2002.
- Message Passing Interface. MPI project. MPI official web page. URL: <http://www-unix.mcs.anl.gov/mpi/>. Argonne National Laboratory, USA, 1993.

- B. T. Messmer and H. Bunke. Error-correcting graph isomorphism using decision trees. *International Journal of Pattern Recognition and Artificial Intelligence*, 12(6):721–742, Sep 1998a.
- B. T. Messmer and H. Bunke. A new algorithm for error-tolerant subgraph isomorphism detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(5):493–504, May 1998b.
- B. T. Messmer and H. Bunke. A decision tree approach to graph and subgraph isomorphism detection. *Pattern Recognition*, 32:1979–1998, 1999.
- B. T. Messmer and H. Bunke. Efficient subgraph isomorphism detection: a decomposition approach. *IEEE Transactions on Knowledge and Data Engineering*, 12(2):307–323, Mar 2000.
- Z. Michalewicz. *Genetic Algorithms + Data Structures = Evolution Programs*. Springer Verlag, Berlin Heidelberg, 1992.
- Z. Michalewicz and M. Schoenauer. Evolutionary algorithms for constrained parameter optimization problems. *Evolutionary Computation*, 4(1):1–32, 1996.
- H. Mühlenbein. The equation for response to selection and its use for prediction. *Evolutionary Computation*, 5:303–346, 1998.
- H. Mühlenbein and T. Mahning. FDA - a scalable evolutionary algorithm for the optimization of additively decomposed functions. *Evolutionary Computation*, 7(4):353–376, 1999.
- H. Mühlenbein, T. Mahning, and A. Ochoa. Schemata, distributions and graphical models in evolutionary optimization. *Journal of Heuristics*, 5:215–247, 1999.
- H. Mühlenbein and G. Paaß. From recombination of genes to the estimation of distributions i. Binary parameters. In *Parallel Problem Solving from Nature - PPSN IV. Lecture Notes in Computer Science 1411*, pages 178–187, 1996.
- R. Myers and E. R. Hancock. Genetic algorithms for ambiguous labelling problems. *Pattern Recognition*, 33(4):685–704, Apr 2000.
- R. Myers and E. R. Hancock. Least-commitment graph matching with genetic algorithms. *Pattern Recognition*, 34(2):375–394, Feb 2001.
- R. Myers, R. C. Wilson, and E. R. Hancock. Bayesian graph edit distance. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(6):628–635, Jun 2000.
- R. Ng and P. Shum. Optimal clip ordering for multi-clip queries. *VLDB Journal*, 7(4):239–252, Dec 1998.
- T. Oldfield. High-resolution crystallographic map interpretation. *Acta Crystallographica*, 58 (6, Special Iss. 2):963–967, Jun 2002.
- J.M. Oliver, D.J. Smith, and J.R.C. Holland. A study of permutation crossover operators on the TSP. In Lawrence Erlbaum, editor, *Genetic Algorithms and Their Applications. Proceedings of the Second International Conference*, pages 224–230, Hillsdale, New Jersey, 1987. Grefenstette, J.J. (Ed.).

BIBLIOGRAPHY

- OpenMP. OpenMP project. OpenMP official web page. URL: <http://www.openmp.org>. OpenMP Architecture Review Board, 1997.
- E. Osman, A. R. Pearce, M. Juettner, and I. Rentschler. Reconstructing mental object representations: A machine vision approach to human visual recognition. *Spatial Vision*, 13(2–3):277–286, 2000.
- M. Pantic and L. J. M. Rothkrantz. Automatic analysis of facial expressions: the state of the art. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(12):1424–1445, 2000.
- Parallel Virtual Machine. PVM project. PVM official web page. URL: <http://www.csm.ornl.gov/pvm>. Oak Ridge National Laboratory, USA, 1989.
- J. Pearl. *Heuristics: Intelligent Search Strategies for Computer Problem Solving*. Addison-Wesley, 1984.
- J. Pearl. Evidential reasoning using stochastic simulation of causal models. *Artificial Intelligence*, 32(2):245–257, 1987.
- J. Pearl. *Probabilistic Reasoning in Intelligent Systems*. Morgan Kaufmann, Palo Alto, California, 1988.
- M. Pelikan, D. E. Goldberg, and E. Cantú-Paz. BOA: The Bayesian optimization algorithm. In W. Banzhaf, J. Daida, A. E. Eiben, M. H. Garzon, V. Honavar, M. Jakela, and R. E. Smith, editors, *Proceedings of the Genetic and Evolutionary Computation Conference GECCO-99, Orlando FL*, volume 1, pages 525–532, San Francisco, California, 1999. Morgan Kaufmann Publishers.
- M. Pelikan and H. Mühlenbein. The bivariate marginal distribution algorithm. In R. Roy, T. Furuhashi, and P. K. Chandhory, editors, *Advances in Soft Computing-Engineering Design and Manufacturing*, pages 521–535, London, 1999. Springer-Verlag.
- M. Pelillo, K. Siddiqi, and S. Zucker. Continuous-based heuristics for graph and tree isomorphisms, with application to computer vision. In P. M. Pardalos, editor, *Approximation and complexity in Numerical Optimization: Continuous and Discrete Problems*. Kluwer Academic Publishers, 1999.
- A. Perchant. *Morphism of Graphs with Fuzzy Attributes for the Recognition of Structural Scenes*. PhD thesis, Ecole Nationale Supérieure des Télécommunications, Paris, France, Sep 2000. In French.
- A. Perchant and I. Bloch. A new definition for fuzzy attributed graph homomorphism with application to structural shape recognition in brain imaging. In *IMTC'99, 16th IEEE Instrumentation and Measurement Technology Conference*, pages 1801–1806, Venice, Italy, May 1999.
- A. Perchant and I. Bloch. Graph fuzzy homomorphism interpreted as fuzzy association graphs. In *Proceedings of the International Conference on Pattern Recognition, ICPR 2000*, volume 2, pages 1046–1049, Barcelona, Spain, 2000a.

- A. Perchant and I. Bloch. Semantic spatial fuzzy attribute design for graph modeling. In *8th International Conference on Information Processing and Management of Uncertainty in Knowledge based Systems IPMU 2000*, volume 3, pages 1397–1404, Madrid, Spain, Jul 2000b.
- A. Perchant and I. Bloch. Fuzzy morphisms between graphs. *Fuzzy Sets and Systems*, 128(2):149–168, 2002.
- A. Perchant, C. Boeres, I. Bloch, M. Roux, and C. Ribeiro. Model-based scene recognition using graph fuzzy homomorphism solved by genetic algorithm. In *GbR'99 2nd International Workshop on Graph-Based Representations in Pattern Recognition*, pages 61–70, Castle of Haindorf, Austria, 1999.
- Polaris. POLARIS project. Automatic Parallelization of Real Programs. URL: <http://polaris.cs.uiuc.edu/polaris/polaris.html>. Principal Researchers: D. A. Padua, J. Torrellas, and R. Eigenmann, 1994.
- A. Rangarajan, H. Chui, and E. Mjolsness. A new distance measure for non-rigid image matching. In M. Pelillo (Eds.) E. R. Hancock, editor, *Lecture Notes in Computer Science 1654*, pages 237–252, York, UK, 1999a.
- A. Rangarajan, H. Chui, and E. Mjolsness. A relationship between spline-based deformable models and weighted graphs in non-rigid matching. In *Proceedings of the 2001 IEEE Computer Society Conference on Computer Vision and Pattern Recognition. CVPR 2001*, volume 1, pages 8–14, Kauai, HI, USA, 2001. IEEE Computer Soc. Tech. Committee on Pattern Analysis and Machine Intelligence.
- A. Rangarajan, A. Yuille, and E. Mjolsness. Convergence properties of the softassign quadratic assignment algorithm. *Neural Computation*, 11(6):1455–1474, Aug 1999b.
- I. Rechenberg. *Evolutionsstrategie: Optimierung Technischer Systeme nach Prinzipien der Biologischen Evolution*. Frommann–Holzboog, Stuttgart, 1973.
- J. H. Reif. *Synthesis of Parallel Algorithms*. Morgan Kaufmann, San Mateo, California, 1993.
- S. W. Reyner. An analysis of a good algorithm for the subtree problem. *SIAM Journal of Computing*, 6(4):730–732, 1977.
- J. T. Richardson, M. R. Palmer, G. Liepins, and M. Hilliard. Some guidelines for genetic algorithms with penalty functions. In J. D. Schaffer, editor, *Proceedings of the Third International Conference on Genetic Algorithms*, pages 191–197, San Mateo, California, 1989. Morgan Kaufmann.
- B. D. Ripley. *Stochastic Simulation*. John Wiley and Sons, 1987.
- D. Riviere, J. Mangin, D. Papadopoulos, J. Martinez, V. Frouin, and J. Regis. Automatic recognition of cortical sulci of the human brain using a congregation of neural networks. *Medical Image Analysis*, 6(2):77–92, Jun 2002.
- D. Riviere, J. F. Mangin, D. Papadopoulos, J. M. Martinez, V. Frouin, and J. Regis. Automatic recognition of cortical sulci using a congregation of neural networks. In S. L. Delp,

- A. M. di Gioia, and B. Jaramaz, editors, *Proceedings of Medical Image Computing and Computer-Assisted Intervention – MICCAI 2000. Third International Conference. Lecture Notes in Computer Science 1935*, pages 40–49, 2000.
- V. Robles, P. de Miguel, and P. Larrañaga. Solving the travelling salesman problem with estimation of distribution algorithms. In P. Larrañaga and J. A. Lozano, editors, *Estimation of Distribution Algorithms. A New Tool for Evolutionary Computation*, pages 211–229. Kluwer Academic Publishers, 2001.
- S. Rudlof and M. Köppen. Stochastic hill climbing by vectors of normal distributions. In *Proceedings of the First Online Workshop on Soft Computing (WSC1)*, Nagoya, Japan, 1996.
- A. Sanfeliu and F. King-Sun. A distance measure between attributed relational graphs for pattern recognition. *IEEE Transactions on Systems, Man, and Cybernetics*, 13(3):353–362, 1983.
- A. Sanfeliu, F. Serratosa, and R. Alquezar. Clustering of attributed graphs and unsupervised synthesis of function-described graphs. In A. Sanfeliu, J.J. Villanueva, M. Vanrell, R. Alquezar, J.O. Eklundh, and Y. Aloimonos, editors, *Proceedings 15th International Conference on Pattern Recognition. ICPR-2000. IEEE Comput. Soc*, pages 1022–1025, Los Alamitos, USA, 2000.
- R. Sangüesa and U. Cortés. Learning causal networks from data: a survey and a new algorithm for recovering possibilistic causal networks. *AI Communications*, 10:31–61, 1998.
- R. Sangüesa, U. Cortés, and A. Gisolfi. A parallel algorithm for building possibilistic causal networks. *International Journal of Approximate Reasoning*, 18:251–270, 1998.
- R. Santana and A. Ochoa. Dealing with constraints with estimation of distribution algorithms: the univariate case. In *Second Symposium on Artificial Intelligence. Adaptive Systems. CIMA99*, pages 378–384, Havana, Cuba, 1999.
- G. Schwarz. Estimating the dimension of a model. *Annals of Statistics*, 7(2):461–464, 1978.
- M. Sebag and A. Ducoulombier. Extending population-based incremental learning to continuos search spaces. In T. Bäck, G. Eiben, M. Schoenauer, and H.-P. Schwefel, editors, *Proceedings of the 5th Conference on Parallel Problem Solving from Nature – PPSN V*, pages 418–427, Berlin, 1998. Springer-Verlag.
- I. Servet, L. Trave-Massuyes, and D. Stern. Telephone network traffic overloading diagnosis and evolutionary techniques. In *Proceedings of the Third European Conference on Artificial Evolution (AE'97)*, pages 137–144, 1997.
- R. Shachter and C. Kenley. Gaussian influence diagrams. *Management Science*, 35:527–550, 1989.
- R.D. Shachter and M.A. Peot. Simulation approaches to general probabilistic inference on belief networks. In *Uncertainty in Artificial Intelligence 5*, pages 221–234. Elsevier, Amsterdam, 1990.
- L. Shams, M. Brady, and S. Schaal. Graph matching vs mutual information maximization for object detection. *Neural Networks*, 14(3):345–354, Apr 2001.

- L. B. Shams. *Development of Visual Shape Primitives*. PhD thesis, University of Southern California, California, USA, 1999.
- Z. Shao and J. Kittler. Shape representation and recognition based on invariant unary and binary relations. *Image and Vision Computing*, 17(5-6):429–444, Apr 1999.
- D. Sharvit, J. Chan, H. Tek, and B. Kimia. Symmetry-based indexing of image databases. *Journal of Visual Communication and Image Representation*, 9(4):366–380, Dec 1998.
- K. Shearer, H. Bunke, and S. Venkatesh. Video indexing and similarity retrieval by largest common subgraph detection using decision trees. *Pattern Recognition*, 34(5):1075–1091, May 2001.
- A. Shokoufandeh, I. Marsic, and S. Dickinson. View-based object recognition using saliency maps. *Image and Vision Computing*, 17(5-6):445–460, Apr 1999.
- M. Shwe and G. Cooper. An empirical analysis of likelihood-weighting simulation on a large multiply connected medical belief network. *Comput. and Biomed. Res.*, 24:453–475, 1991.
- S. Siegel. *Nonparametric statistics for the behavioral sciences*. McGraw-Hill, New York, 1956.
- A. Silberschatz, P. Galvin, and G. Gagne. *Applied Operating System Concepts*. Addison-Wesley, Reading, Massachusetts, USA, 2000.
- M. Singh and A. Chatterjee and S. Chaudhury. Matching structural shape descriptions using genetic algorithms. *Pattern Recognition*, 30(9):1451–1462, 1997.
- M. Skomorowski. Use of random graph parsing for scene labelling by probabilistic relaxation. *Pattern Recognition Letters*, 60:949–956, 1999.
- A. E. Smith and D. M. Tate. Genetic optimization using a penalty function. In Forrest, editor, *Proceedings of the Fifth International Conference on Genetic Algorithms*, pages 499–505, San Mateo, California, 1993. Morgan Kaufmann.
- P. W. F. Smith and J. Whittaker. Edge exclusion tests for graphical Gaussian models. In *Learning in Graphical Models*, pages 555–574. Kluwer Academic Publishers, Dordrecht, The Netherlands, 1998.
- R. Sonthi. *The Definition and Recognition of Shape Features for Virtual Prototyping via Multiple Geometric Abstractions*. PhD thesis, The University of Wisconsin, Wisconsin, USA, 1997.
- J. F. Sowa. *Conceptual Structures: Information Processing in Mind and Machine*. Addison-Wesley, 1984.
- T. P. Speed and H. Kiiveri. Gaussian markov distributions over finite graphs. *Annals of Statistics*, 14:138–150, 1986.
- W. Stallings. *Operating Systems. Internals and Design Principles*. Prentice-Hall, 5 edition, 2000.

BIBLIOGRAPHY

- P. Suganthan, E. Teoh, and D. Mital. Hopfield network with constraint parameter adaptation for overlapped shape recognition. *IEEE Transactions on Neural Networks*, 10(2):444–449, Mar 1999.
- P. Suganthan and H. Yan. Recognition of handprinted chinese characters by constrained graph matching. *Image and Vision Computing*, 16(3):191–201, Mar 1998.
- P. Suganthan, H. Yan, E. Teoh, and D. Mital. Optimal encoding of graph homomorphism energy using fuzzy information aggregation operators. *Pattern Recognition*, 31(5):623–639, May 1998.
- P. N. Suganthan, E. K. Teoh, and D. P. Mital. A self-organising Hopfield network for attributed relational graph matching. *Image and Vision Computing*, 13(1):61–73, 1995.
- G. Syswerda. Simulated crossover in genetic algorithms. In *Foundations of Genetic Algorithms*, volume 2, pages 239–255, San Mateo, California, 1993. Morgan Kaufmann.
- A. Tefas, C. Kotropoulos, and I. Pitas. Using support vector machines to enhance the performance of elastic graph matching for frontal face authentication. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(7):735–746, Jul 2001.
- A. Tefas, C. Kotropoulos, and I. Pitas. Face verification using elastic graph matching based on morphological signal decomposition. *Signal Processing*, 82(6):833–851, Jun 2002.
- A. Tom and C. Murthy. Optimal task allocation in distributed systems by graph matching and state space search. *Journal of Systems and Software*, 46(1):59–75, Apr 1999.
- J. Triesch and C. von der Malsburg. A system for person-independent hand posture recognition against complex backgrounds. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(12):1449–1453, Dec 2001.
- M. Turner and J. Austin. Graph matching by neural relaxation. *Neural Computing and Applications*, 7(3):238–248, 1998.
- S. Umeyama. An eigen decomposition approach to weighted graph matching problems. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(5):695–703, 1988.
- J. T. Wang, K. Zhang, and G. Chirn. Algorithms for approximate graph matching. *Information Sciences*, 82(1-2):45–74, 1995.
- P. Wang. Parallel matching of 3D articulated object recognition. *International Journal of Pattern Recognition and Artificial Intelligence*, 13(4):431–443, Jun 1999.
- N. Wermuth. Model search among multiplicative models. *Biometrics*, 32:253–263, 1976.
- D. Whitley and J. Kauth. GENITOR: A different genetic algorithm. In *Proceedings of the Rocky Mountain Conference on Artificial Intelligence*, volume 2, pages 118–130, 1988.
- J. Whittaker. *Graphical Models in Applied Multivariate Statistics*. John Wiley and Sons, 1990.
- M. Williams, R. C. Wilson, and E. R. Hancock. Multiple graph matching with Bayesian inference. *Pattern Recognition Letters*, 18(11–13):1275–1281, Nov 1997.

- M. Williams, R. C. Wilson, and E. R. Hancock. Deterministic search for relational graph matching. *Pattern Recognition*, 32(7):1255–1271, Jul 1999.
- R. C. Wilson and E. R. Hancock. Bayesian compatibility model for graph matching. *Pattern Recognition Letters*, 17:263–276, 1996.
- R. C. Wilson and E. R. Hancock. Structural matching by discrete relaxation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(6):634–698, 1997.
- R. C. Wilson and E. R. Hancock. Graph matching with hierarchical discrete relaxation. *Pattern Recognition Letters*, 20(10):1041–1052, Oct 1999.
- L. Wiskott. The role of topographical constraints in face recognition. *Pattern Recognition Letters*, 20(1):89–96, Jan 1999.
- M. Wolfe. *High Performance Compilers for Parallel Computing*. Addison-Wesley, 5 edition, 1996.
- H. Wu, Q. Chen, and M. Yachida. Face detection from color images using a fuzzy pattern matching method. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 21(6):587–503, 1999.
- Y. Xiang and T. Chu. Parallel learning of belief networks in large and difficult domains. *Data Mining and Knowledge Discovery*, 3:315–339, 1999.
- A. A. Zhigljavsky. *Theory of Global Random Search*. Kluwer Academic Publishers, 1991.

BIBLIOGRAPHY

Citation index

- Abdulkader [1998], 8, 90
Akaike [1974], 56
Andrews [1991], 172
Bacik [2001], 13
Baget and Mugnier [2002], 13, 20
Bakircioglu et al. [1998], 10
Baluja and Davies [1997], 52
Baluja [1994], 51
Banzhaf [1990], 129
Basin [1994], 8
Bengoetxea et al. [2000], 28, 70, 91
Bengoetxea et al. [2001a], 23, 28, 91, 98
Bengoetxea et al. [2001b], 28, 91
Bengoetxea et al. [2001c], 22–24, 91, 92, 112
Bengoetxea et al. [2001d], 22, 24, 91
Bengoetxea et al. [2001e], 92, 112
Bengoetxea et al. [2002a], 70, 91, 98
Bengoetxea et al. [2002b], 131
Beowulf [1994], 88
Berretti et al. [2001], 11, 13
Bhat et al. [1999], 90
Bienenstock and von der Malsburg [1987], 7
Blake [1994], 20
Bloch [1999a], 9, 29, 150
Bloch [1999b], 9, 29, 150
Boeres et al. [1999], 14, 21, 30, 98
Boeres [2002], 14, 30, 98
Bouckaert et al. [1996], 47
Bouckaert [1994], 47
Box and Muller [1958], 50
Branca et al. [2000], 10, 15
Brent [1974], 50
Bunke and Gunter [2001], 13
Bunke and Shearer [1998], 12
Bunke [1997], 11
Bunke [1998], 13
Bunke [1999], 12, 28
Bunke [2001], 13
Buntine [1991], xii, xxv, 58
Buntine [1996], 69
Bäck [1996], 43
Carcassoni and Hancock [2001], 16
Cesar and Bloch [2001], 134, 136
Cesar et al. [2002a], 134, 136, 138
Cesar et al. [2002b], 31, 136, 138, 145
Chavez and Cooper [1990], 48
Cheng et al. [2001], 10
Chen [1996], 13
Chickering et al. [1994], 58
Chickering et al. [1995], 58
Christmas et al. [1995], vii, xxi, 14, 15
Cooper and Herskovits [1992], 57
Costa and Cesar [2001], 145
Cross and Hancock [1998], vii, xxi, 15
Cross et al. [1997], 13
Cross et al. [2000], 14
Dagum and Horvitz [1993], 48
Dawid [1979], 46
de Bonet et al. [1997], xii, xxiv, 52, 53, 60, 68
de Campos [1998], 69
de Groot [1970], 49, 67
di Ruberto and Dempster [2001], 10
Dempster et al. [1977], 33
Dijkstra [1965], 166, 169, 176
Doob et al. [1980], 12
Dorai [1996], 10
Duc et al. [1997], 10, 15
Duc et al. [1999], 10, 16
Emami [1997], 13
Eroh and Schultz [1998], 13
Eshera and Fu [1986], 4
Etxeberria and Larrañaga [1999], xii, xxv, 54, 55, 57, 69
Etxeberria et al. [1997a], 58
Etxeberria et al. [1997b], 58
Fan et al. [1998], 16
Fan et al. [2000], 9

- Fariselli and Casadio [2001], 15
Farmer [1999], 14
Feder and Vardi [1999], 20
Feris and Cesar [2001], 133, 134
Fernandez and Valiente [2001], 11
Fiala [1978], 22
Finch et al. [1997], 13
Finch et al. [1998a], 14
Finch et al. [1998b], 6, 15
Flood [1956], 22
Flynn [1972], 85
Fogel [1962], 43
Foggia et al. [1999], 11, 12
Forgy [1965], 22, 24
Foster [1995], xxxvii, 78–80, 84
Freeman-Benson et al. [1990], 20
Freisleben and Merz [1996], 22
Freitas and Lavington [1999], 94
Fuchs and Men [2000], 13
Fung and Chang [1990], 47
Fung and del Favero [1994], 47
Gangnet and Rosenberg [1993], 20
Gao and Shah [1998], 13
Garey and Johnson [1979], 8
Geiger and Heckerman [1994], 67
Geusebroek et al. [1999], 12
Gold and Rangarajan [1996], 14
Gold et al. [1999], 12, 16
Goldberg [1989], 43
Grefenstette [1986], 44
Hancock and Kittler [1990], 14
Hancock et al. [1998], 11
Harik et al. [1998], 51
Harik [1999], 55
Haris et al. [1999], 12
Heckerman and Geiger [1995], 46
Heckerman and Wellman [1995], 46
Heckerman et al. [1995], 54, 67
Heckerman [1995], 69
Henrion [1988], 48
Herpers and Sommer [1998], 10, 15
Holland [1975], 43, 44, 98
Hopcroft and Wong [1974], 8
Howard and Matheson [1981], 46
Hryceij [1990], 48
Huang and Huang [1998], 16
Huet and Hancock [1999], 10, 11, 15
Hwan [2001], 9
Ifrah [1997], 10
Ing-Sheen and Kuo-Chin [2001], 12
Inza et al. [2000], 44
Inza et al. [2001], 44
Jensen et al. [1993], 48
Jiang et al. [2001], 13
Jolion and Kropatsch [1998], 8
Jolion et al. [2001], 8
Jolion [2003], 12
Karpinski and Rytter [1998], 90
Khoo and Suganthan [2002], 10, 13
Kim and Kim [2001], 15
Kittler et al. [1993], 14
Kotropoulos et al. [2000a], 10, 11, 16
Kotropoulos et al. [2000b], 10, 11
Koza [1992], 43
Krause [1998], 69
Kropatsch and Jolion [1999], 8
Kruger and Sommer [1999], 134
Kruskal and Wallis [1952], 102, 129
Kullback and Leibler [1951], 35–37
Kumar et al. [2001], 10
Lai et al. [1999], 13
Larrañaga and Lozano [2001], xii, xxv, 44, 51, 59, 64, 75
Larrañaga et al. [1996a], 58
Larrañaga et al. [1996b], 58
Larrañaga et al. [1996c], 58
Larrañaga et al. [1997], 98
Larrañaga et al. [2000], xii, xxiv, xxv, 59, 60, 64, 75
Larrañaga et al. [2001], 62–64, 66, 75
Lauritzen [1996], 46
Lee and Liu [1999], 9, 16
Lee and Liu [2000], 9, 16
Liu et al. [2000], 14
Liu [1997a], 12
Liu [1997b], 20
Llados et al. [2001], 12
Lozano et al. [2001], 94
Luo and Hancock [2001a], 15
Luo and Hancock [2001b], 15
Lyons et al. [1999], 10
Lyul and Hong [2002], 16, 20
Ma and Xiaoou [2001], 10, 20
Mann and Whitney [1947], 104, 129

- Mariani [2000], 11, 15
Marsaglia et al. [1976], 50
Massaro and Pelillo [2001], 12
McQueen [1967], 22
Mendiburu et al. [2002], 92
Message Passing Interface [1993], 90
Messmer and Bunke [1998a], 13, 15
Messmer and Bunke [1998b], 12
Messmer and Bunke [1999], vii, xxi, 10, 16
Messmer and Bunke [2000], 13
Michalewicz and Schoenauer [1996], 69
Michalewicz [1992], 69, 98
Myers and Hancock [2000], 14
Myers and Hancock [2001], 14
Myers et al. [2000], 12
Mühlenbein and Mahning [1999], 55
Mühlenbein and Paaß [1996], 44
Mühlenbein et al. [1999], 54
Mühlenbein [1998], xi, xxiv, 51, 68
Ng and Shum [1998], 12
Oldfield [2002], 13
Oliver et al. [1987], 129
OpenMP [1997], 90
Osman et al. [2000], 14
Pantic and Rothkrantz [2000], 133
Parallel Virtual Machine [1989], 89
Pearl [1984], 43
Pearl [1987], 47
Pearl [1988], 46
Pelikan and Mühlenbein [1999], 52
Pelikan et al. [1999], 54
Pelillo et al. [1999], vii, xxi
Perchant and Bloch [1999], 9, 14, 22, 26,
29, 30, 98, 126
Perchant and Bloch [2000a], 22
Perchant and Bloch [2000b], 22, 126
Perchant and Bloch [2002], 146
Perchant et al. [1999], 9, 14, 22, 29, 30, 98,
126, 127, 129
Perchant [2000], 22, 32, 126
Polaris [1994], 78
Rangarajan et al. [1999a], 150
Rangarajan et al. [1999b], 16
Rangarajan et al. [2001], 10
Rechenberg [1973], 43
Reif [1993], 90
Reyner [1977], 8
Richardson et al. [1989], 28
Ripley [1987], 50
Riviere et al. [2000], 16
Riviere et al. [2002], vii, xxi, 16
Rudlof and Köppen [1996], 59
Sanfeliu and King-Sun [1983], 150
Sanfeliu et al. [2000], 16
Sangüesa and Cortés [1998], 69
Sangüesa et al. [1998], 94
Santana and Ochoa [1999], 70
Schwarz [1978], xii, xxv, 56
Sebag and Ducoulombier [1998], 59
Servet et al. [1997], 59
Shachter and Kenley [1989], 48, 49
Shachter and Peot [1990], 47
Shams et al. [2001], 14
Shams [1999], 10
Shao and Kittler [1999], 10, 15
Sharvit et al. [1998], 10, 11
Shearer et al. [2001], 15
Shokoufandeh et al. [1999], 11
Shwe and Cooper [1991], 47
Siegel [1956], 102, 130
Silberschatz et al. [2000], 168
Singh and Chaudhury [1997], vii, xxi, 13
Skomorowski [1999], 15
Smith and Tate [1993], 28
Smith and Whittaker [1998], 65
Sonthi [1997], 10
Sowa [1984], 13
Speed and Kiiveri [1986], 65
Stallings [2000], 172, 176
Suganthan and Yan [1998], 16, 20
Suganthan et al. [1995], 20
Suganthan et al. [1998], 29
Suganthan et al. [1999], 16, 20
Syswerda [1993], 51, 151
Tefas et al. [2001], 10, 20
Tefas et al. [2002], 10
Tom and Murthy [1999], 90
Triesch and von der Malsburg [2001], 10
Turner and Austin [1998], 15, 16
Umeyama [1988], 16
Wang et al. [1995], 11
Wang [1999], 90
Wermuth [1976], 65
Whitley and Kauth [1988], 98, 129

CITATION INDEX

- Whittaker [1990], 48, 60, 65
Williams et al. [1997], 11, 15
Williams et al. [1999], 14
Wilson and Hancock [1996], 11–14
Wilson and Hancock [1997], vii, xxi, 10,
14, 15
Wilson and Hancock [1999], 15
Wiskott [1999], 10, 20
Wolfe [1996], 78
Wu et al. [1999], 9
Xiang and Chu [1999], 94
Zhigljavsky [1991], 43

'To finish a work? To finish a picture? What nonsense! To finish it means to be through with it, to kill it, to rid it of its soul, to give it its final blow the coup de grace for the painter as well as for the picture.'

Pablo Picasso